

PLSND S... THE
 PROPOSED RESIDENTIAL
 BUILDING AT PLOT NO 46A
 KUMARAN NAGAR T.S NO
 167/1 PT 2169/LPT BLOCK NO 1
 PERAVALLUR VILLAGE DL NO 38
 L.S NO 145/71 SCALE: 1" = 80"




SPECIFICATION:

Broken stone jelly concrete in cm
 1:4:2 for foundation. stack brick
 work in cm 1:6 for foundation and
 superstructure. R.C.C column beam,
 lintel, roof slab etc in C.C 1:2:4 with
 reinforcement. plastering with cm
 1:4 12mm thick. colour washing
 two coats over a coat of white
 wash. painting two coats over a
 coat of primer. weathering course
 with flat tiles. mosaic flooring with
 colour tiles.


JOINERY:

D FLUSH DOOR 3'3" x 7'0" (1.0 x 2.10)
 D1 - DO - 3'0" x 7'0" (0.91 x 2.10)
 D2 - DO - 2'6" x 6'0" (0.75 x 1.82)
 W GLAZED WINDOW 8'0" x 5'0" (2.42 x 1.52)
 W1 - DO - 6'0" x 5'0" (1.82 x 1.52)
 W2 - DO - 4'0" x 5'0" (1.22 x 1.52)
 V VENTILATOR 3'0" x 2'6" (0.91 x 0.75)

REFERENCE:

PRO. WORK 
 ROAD 
 BOUNDARY 




MMDA [A]/PP No. /
 C.No. A2/16933/90
 Assn.
 Security
 PART I
 PART II
 S.P.



Planning Permit No. A/261/91
APPROVED
 SUBJECT TO THE CONDITIONS IN
 THIS OFFICE LETTER.
 No. A2/16933/90 Date 15-3-91
 o/e S. Jayaram 15-3-91
 FOR MEMBER SECRETARY
 MADRAS METROPOLITAN
 DEVELOPMENT AUTHORITY
 MADRAS - 600 008

KEY PLAN
 NOT TO
 SCALE:
 Planning Permission is issued
 with a disclaimer that it
 does not amount to
 regularisation of residential plot.

FRONT ELEVATION



LICENSED SURVEYOR

V. SRINIVASALU, L.C.E. & S. Balaraman
 Asst. Executive Engineer (Retd)
 Consulting Civil Engineers,
 REGD. No. 270.
CLASS I LICENSED SURVEYOR
 CORPORATION OF MADRAS
 No. 60, Valluvar Road,
 CHENNAI, MADRAS-44