PROPOSED RESIDENTIAL BUILDING AT PLOT No. 22 SAI BABA COLONY RAMAKRISHNAPURAM

IN 104 Dn No. 76, S.No. 54 & 55 VIRUGAMBAKKAM VILLAGE, GUINDY TALUK, MADRAS

SCALE: 1" = 8' 0"

Planning Permit No. A/795/90

APPROVED

SUBJECT TO THE CONDITIONS IN THIS OFFICE LETTER.

No. A/4123/90 Date 29/6/90

for C.R. Vimala 29/6/90

FOR MEMBER SECRETARY
MADRAS METROPOLITAN DEVELOPMENT AUTHORITY
MADRAS 600 008.



ELEVATION



SECTION ON AB



SECTION OF COMPOUND WALL



SEPTIC TANK SECTION



SPECIFICATION

BRICK WORK IN CM 1:5 FOR FOUNDATION
BRICK WORK IN CM 1:5 FOR FOUNDATION AND SUPERSTRUCTURE
MOSAIC FLOORING IN CM 1:3
R.C.C. 1:2:4 5"TK. FOR FLOOR ROOF SLAB
PLASTERING IN CM 1:5
WEATHERING COURSE WITH BRICK JELLY CONCRETE IN LM OVER THAT PRESS TILES IN CM 1:3



PLAN



TERRACE PLAN



SITE PLAN

SCALE: 1" = 16' 0"



SECTION OF WELL

PROPOSAL
EXISTING ROAD
SITE BOUNDARY

OWNER

SITE AREA	2400 Sq ft.
PLINTH AREA	1018 Sq ft.
COVERAGE	43 %

K. VENUGOPAL
AEE (Rtd)
CONSULTING CIVIL ENGINEER
LICENSE SURVEYOR CLASS I
CORPORATION OF MADRAS
3, NEELAKANDAN STREET
NUNGAMBAKKAM (LAKE AREA)
MADRAS-600 034