Revised plan.

SPECIFICATION

OVER HEAD TANK SCIENTIFICALLY SEALED
WEATHERING COURE WITH B.J.L.C
PARAPET WALL 9" THICK 3'0" HEIGHT
R.C.C ROOF SLAB 1:2:4 4½" THICK
CEILING PLASTERING IN CM 1:3
BRICK WORK IN CM 1:6
R.C.C LINTEL CUM SUNSHADE IN 1:2:4 MIX
JOINERIES WITH TEAK WOOD
MOSAIC FLOORING
P.C.C IN 1:4:8
SAND FILLING

JOINERIES A2/18593/94.

D	DOOR	3'3" X 7'0"	D 19/10
D1	DOOR	3'0" X 7'0"	
D2	DOOR	2'6" X 7'0"	D1 26/10
W	WINDOW	6'0" X 4'6"	
W1	WINDOW	4'0" X 4'6"	
V	VENTILATOR	3'0" X 1'0"	

REFERENCE

PROPOSED
ROAD
BOUNDRY

AREA DETAILS

	Sq.ft	Sq.mtr
PLOT AREA	1,900·00	176·58
GROUND FLOOR AREA	1,120·00	104·09
FIRST FLOOR AREA	1,216·00	113·01
TOTAL FLOOR AREA	2,336·00	217·10
COVERAGE 64%		
F.S.I 1·23		

SCALE : 1" 8'0"

PLAN SHOWING THE PROPOSED RESIDENTIAL BUILDING, AT PLOT NO:-11 IN LAY OUT APPROVED IN P.D.D/L.O NO:101/90 IN VILLAGE NO:100 PAMMAL TOWN PANCHAYAT R.S. NO:19/23

OWNER'S SIGNATURE

Er. K. VENUGOPAL, Rtd A.E.E
Civil & Sanitary Engineering Consultant
Licensed Surveyor, Class I No. 320
Licensed Plumber, Class I ...ted Water
Sewerage No ... Water ... No.
3, Neelakandan Street, ... (... Area)
Backside of Corporation G... ...ars School)
MADRAS-600 ...
LISENSED SURVEYOR

ELEVATION



A/16485/381/94 dt 7/11/94

APPROVED
SUBJECT TO THE CONDITIONS IN THIS OFFICE LETTER.
No.A2/18593/94 dt 11.94
for MEMBER SECRETARY
MADRAS METROPOLITAN DEVELOPMENT AUTHORITY
MADRAS-600 008.

SECTION ON 'CC'



SECTION OF PERCOLATION PIT

SECTION OF WELL (not to scale)



KEY PLAN (not to scale)



PLAN



SECTION



DETAILS OF SEPTIC TANK



SECTION OF COLUMN (SCALE 1"4'0")

SITE PLAN (SCALE 1"16'0")

GROUND FLOOR PLAN



FIRST FLOOR PLAN



TERRACE FLOOR PLAN