



Legend

Proposed Road Boundary

Sewer Line

Schedule of joinery

D	Panel door	3'-3" x 7'-0" (991 x 2134)
D1	"	3'-0" x 7'-0" (914 x 2134)
D2	"	2'-8" x 7'-0" (762 x 2134)
W	Glazed Window	4'-4" x 4'-4" (1372 x 1372)
W1	"	3'-0" x 4'-6" (914 x 1372)
W2	"	3'-0" x 3'-0" (914 x 914)
V	ventilator	3'-0" x 2'-0" (914 x 610)

Specification

- 1 Brick foundation in C.M 1:5 over 6" (152)
- 2 Basement with brick work in C.M 1:5 over 6" thick R.C.C tie beam 1:2:4.
- 3 Mosaic flooring over 4" thick P.C.C 1:5:10 6" thick Sand filling
- 5 One Course pressed flat tiles sets in C.M 1:4 brick jelly lime Concrete
- 1:2½ laid slope.

Revised site plan  
24/1/95

Area statement

Plot area : 26530 sq ft (246.46 m<sup>2</sup>)

Ground floor area : 1385-05 sq ft (125.88 m<sup>2</sup>)

First floor area : 1495-05 sq ft (138.51 m<sup>2</sup>)

Total floor area : 2880-10 sq ft (264.39 m<sup>2</sup>)

Plot Coverage : 51.07% F.F.I : 7.04%

Scale : 1"=8'-0" (1:100) Date : 26-4-94

Drawn : M.P Checked : S.K

All dimensions in brackets are in mm

Designers

**Best Nest Designers**

No-133, Karungegar, Street,  
Adambakkam, Madras-88.

Project Title

Proposed Residential building  
at plot no:24, New Narmada  
Nagar, old survey no:43/17 part  
new survey no 43/17A, ullagaram  
village, saidapet. taluk.

Owner

T.C. [Signature]

Licensed Survey

[Signature]

**R. K. VENUGOPAL, Ret. A.E.I.**  
CORPORATION OF MADRAS  
Civil & Sanitary Engineering Consultant  
Licensed Surveyor, Class-I No: 320  
Licensed Plumber, Class-I Metro Water  
Sewerage No. .... Water Supply No. ....  
3, Nallakandan Street, Nungambakam, Chennai  
Bachchan of Corporation Girls Higher Secondary School  
MADRAS 600 034.