Revised plan
A1/27465/91



GROUND FLOOR PLAN.



FIRST FLOOR PLAN.



COLUMN DETAILS
SCALE: 1"=4'0"





HEAD ROOM PLAN.



ELEVATION.



SECTION - AA

SAND FILLING FOR FOUNDATION 193 MM THICK
BASE CONC. FOR FOUNDATION IN C.C 1:6:8, 153 MM THICK
R.C.C. COLUMN FOUNDATION IN C.C 1:2:4, 4'0"x4'0"
R.C.C. COLUMN IN C.C 1:2:4, 0'9"x0'9"
R.C.C TIE & ROOF BEAMS IN C.C 1:2:4, 0'9"x1'0"
R.C.C. ROOF SLAB & LINTELS IN C.C 1:2:4, 119 MM THICK
R.C.C. SUN SHADE IN C.C 1:2:4, 60MM THICK
BRICK WORK IN CEMENT MORTAR 1:5, 0'9" THICK
PLASTERING WITH CEMENT MORTAR 1:4, 12 MM THICK
FLOORING WITH MOSAIC TILES OVER B.J.C.
WEATHERING COURSE WITH TWO COURSE OF PLATTILES.

TOTAL PLOT AREA	:	4321.5 SQ.FT (401.47 M²)
GROUND FLOOR	:	2220. SQ.FT. (206.24 M²)
FIRST FLOOR	:	1995 SQ.FT. (185.33 M²)

T.	T.W. DOOR	4'0"x7'0"	1210x2134
D1	- DO -	3'3"x7'0"	991x2134
D2	- DO -	3'0"x7'0"	914x2134
D3	- DO -	2'6"x6'6"	762x1981
W	T.W. WINDOW	5'0"x6'6"	1524x1981
W1	- DO -	4'0"x6'6"	1219x1981
W2	- DO -	3'0"/4'0"x5'0"	914/1219x1524
V	VENTILATOR	3'0"x1'6"	914x457
J.	JOLLY WORK	5'0"x5'0"	1524x1524
GD	GRILL DOOR	7'6"x3'0"	2286x2134
RS	ROLLING SHUTTER	8'6"x9'0"	2591x2134

HEAD ROOM : 200 SQ.FT (18.58 M²)
COVERAGE : 51.37% < 65%
F.S.I : 0.98 < 1.50

OWNER

Dr. K. VENUGOPAL, Regd. A.B.E.
CORPORATION OF MADRAS
Civil & Sanitary Engineering Consultant
Licensed Surveyor, Class-I No. 320
Licensed Plumber, Class-I Metro Water
Water Supply No.
Drainage No.
No. Neelakandan Street, Kodambakkam, Madras-600 024
Near side of Corporation Office, opp. Kodambakkam Railway Station

L. SURVEYOR

MADRAS - 600 024

PROPOSED WORK	
EXISTING WORK	
ROAD PORTION	
SITE BOUNDARY	

SANCTIONED B.A : 12/88, dt 13.1.88.

PLAN SHOWING THE PROPOSED ADDITIONS OF THE BANK BUILDING (WITH EXISTING DWELLING HOUSE) AT PLOT NO: 22'A' T.S.NO: 18, BLOCK 3D, 1ST MAIN ROAD, SASTRI NAGAR, URUR VILLAGE DIVISION NO: 152. SCALE: 1"=30' (1CM=1M)