

From

To

The Member-Secretary,
Madras Metropolitan
Development Authority,
No.8, Gandhi-Irwin Road,
Egmore, Madras-600 008.

The E.C
Thiruvarkadu .S.P
Madras-77.

Ln.No. 22/25434/95



Dated: - 11-95

Sir,

Sub: MMDA - Planning Permission - is regularisation
of existing factory building with installation of
125HP and 25 nos of works for manufacturing of
Automobiles oil seal at old s.no. 46/pt and 47/pt
New s.no. 77/6 of Noolmal village.

Ref:

① E.C, Thiruvarkadu .S.P. Ln no. 323/95/A
dt. 3.7.95

Recd. today
16/11

The Planning Permission Application received in
the reference cited for the construction/development at
regularisation of existing factory building with installation
of 125HP and 25 nos of works for manufacturing of Automobiles oil
seal at old s.no. 46/pt and 47/pt New s.no. 77/6 of Noolmal village.

has been approved subject to the conditions incorporated
in the reference.

2. The applicant has remitted the following
charges:

- Development Charge : Rs. vide challan no. 69420 dt 1.11.95
- and Scrutiny Fees : Rs.
- Security Deposit : Rs.
- Open Space Reserva- : Rs.
tion Charge
- Security Deposit for : Rs.
upflow filter

Challen No.

dated:

accepting

the conditions stipulated by MMDA vide in the reference
and furnished Back Guarantee for a sum of
Rs. (Rupees
) towards Security Deposit for building/
upflow filter which is valid upto

3. As per the MMWSSB letter cited in the reference
with respect to the sewer connection for the
proposed building may be possible when a public sewer is
laid in that above said address. Till such time the party
has to make their own arrangements having disposal without
nuisance by providing septic tank of suitable size with

DESPATCHED

21.11.95

625
17/11

upflow filter with collection sump or either by means of dispersion trench of suitable length and breadth as per guidelines of the Government of India Manual. It shall be ensured that all wells, overhead tanks and septic tanks are hermitically sealed with proper protected vents to avoid mosquito menance.

Regarding Water Supply it may be possible to provide piped water supply to the premises for drinking and cooking purpose only when water main is laid in that road. Till such time the party has to make his/her own arrangements.

4. Two copy/Set of approved plans, numbered as e/PP/150/95 Planning Permit No. 19840 dated: 14-11-95 is sent herewith. The Planning Permit is valid for the period from 14-11-95 to 13-11-98

5. This approval is not final. The applicant has to approach the ~~Madras Corporation/Municipality/Panchayat Union/Township/Town Panchayat~~ for issue of building permit under the respective Localbody Acts, only after which the proposed construction can be commenced. A unit of the ~~Madras Corporation~~ is functioning at MMDA first floor itself for issue of Building Permit.

Yours faithfully,

o/c

S. Jayaraman
for MEMBER-SECRETARY.

- Encl: 1. Two copy/set of approved plan.
2. Two copy of Planning Permit.

km
11/11

Copy to: 1.

BMF Belting Ltd.
Muzano Estate.
Velappan Chavadi.
Peonamallee High Road, Ms-77.

2. The Deputy Planner,
Enforcement Cell,
MMDA., Madras-8.
3. The Chairman,
Appropriate Authority,
No.108, Uttamar Gandhi Road,
Nungambakkam,
Madras-34.
4. The Commissioner of Income Tax,
No.108, Nunga bakkam High Road,
Madras-600 034.