

From
The Member-Secretary,
Madras Metropolitan
Development Authority,
No.8, Gandhi-Irwin Road,
Egmore, Madras-600 008.

To The Commr.,
St. Thomas munit panchayat
union. at chitlapolekam
mads. 64.

Lr.No. C2/3124/95

Dated: -2-95

Sir,

Sub: MMDA - Planning Permission - Constrn. of
factory buildg at S.No. 128/3B, 128/4A & B
ad 129/2 of Karapolekam village - Appd - reg.

Ref: ① Commr. St. Thomas p.u. Lr.No. 2349/54/A4
dt. 24/6/54

The Planning Permission Application received in
the reference cited for the construction/development of factory
building with installation of 651 H.P at S.No. 128/3B, 128/4A & B
ad 129/2 of Karapolekam village

has been approved subject to the conditions incorporated
in the reference.

2. The applicant has remitted the following
charges:

Development Charge	: Rs.
Scrutiny Fees	: Rs.
Security Deposit	: Rs.
Open Space Reserva- tion Charge	: Rs.
Security Deposit for upflow filter	: Rs.

~~Rs.~~ vide challan no. 64054 dt 9/2/54

in Challan No. _____ dated: _____ accepting
the conditions stipulated by MMDA vide in the reference
and furnished Bank Guarantee for a sum of
Rs. _____
(Rupees
) towards Security Deposit for building/
upflow filter which is valid upto _____

3. As per the MMWSSB letter cited in the reference
with respect to the sewer connection for the
proposed building may be possible when a public sewer is
laid in that above said address. Till such time the party
has to make their own arrangements having disposal without
nuisance by providing septic tank of suitable size with

/p.t.o./

P/15/110

23/2/95

24/2/95

DESPATCHED

Received
27/2/95

C2804

upflow filter with collection sump or either by means of dispersion trench of suitable length and breadth as per guidelines of the Government of India Manual. It shall be ensured that all wells, overhead tanks and septic tanks are hermitically sealed with proper protected vents to avoid mosquito menance.

Regarding Water Supply it may be possible to provide piped water supply to the premisses for drinking and cooking purpose only when water main is laid in that road. Till such time the party has to make his/her own arrangements.

4. Two copy/Set of approved plans, numbered as e/PP/25-A43/95 Planning Permit No. 18603 dated: -2-95 is sent herewith. The Planning Permit is valid for the period from -2-95 to -2-1998.

5. This approval is not final. The applicant has to approach the Madras Corporation/Municipality/Panchayat Union/Township/Town Panchayat for issue of building permit under the respective Localbody Acts, only after which the proposed construction can be commenced. ~~A unit of the Madras Corporation is functioning at NMDA first floor itself for issue of Building Permit.~~

Yours faithfully,

[Signature]
for MEMBER-SECRETARY.

- Encl: 1. Two copy/set of approved plan.
2. Two copy of Planning Permit.

ky
21/2

Copy to: 1. Thiru. Rajkumar Jeralia,
1/83, Ranganathan road,
Korapallicam, Old mohapalipuram Rd,
Madras-96.

2. The Deputy Planner,
Enforcement Cell,
NMDA., Madras-8.
3. The Chairman,
Appropriate Authority,
No.108, Uttamar Gandhi Road,
Nungambakkam,
Madras-34.
4. The Commissioner of Income Tax,
No.108, Nunga bakkam High Road,
Madras-600 034.