

From
The Member-Secretary,
Madras Metropolitan
Development Authority,
No.8, Gandhi-Irwin Road,
Egmore, Madras-600 008.

To
The Commr,
pooramallee P.O.
pooramallee.

Lr.No. 24/28641/56

Dated: - 4-57

Sir,

Sub: MMDA - Planning Permission - proposed constn.
of middle school and demolition of existing thatched
sheds for vivekananda educational trust at S.No.
142/2B2 of nadukuthagan village - approved - reg.

Ref: 1. Commr, pooramallee P.O. for no. 6730/96/A3
dt. 20/11/56.
2. This order for even no. dt. 29.3.57

The Planning Permission Application received in
the reference cited for the construction/development of
middle school after demolishing the existing thatched sheds
for vivekananda educational trust at S.No. 142/2B2 of
nadukuthagan village -
has been approved subject to the conditions incorporated
in the reference.

2. The applicant has remitted the following charges:
Development Charge ~~Rs.~~ vide challan no. 81852 dt 15/4/57
Scrutiny Fees ~~: Rs.~~
Security Deposit : Rs.
Open Space Reserva- : Rs.
tion Charge
Security Deposit for : Rs.
upflow filter

in Challan No. dated: accepting
the conditions stipulated by MMDA vide in the reference
and furnished Bank Guarantee for a sum of
Rs. (Rupees) towards Security Deposit for building/Upflow
filter which is valid upto

3. As per the MMWSSB letter cited in the reference
, with respect to the sewer connection for the
proposed building may be possible when a public sewer is
laid in that above said address. Till such time the party
has to make their own arrangements having disposal without
nuisance by providing septic tank of suitable size with

/p.t.o./

664
22/4

25488
and
DESPATCHED

upflow filter with collection sump or either by means of dispersion trench of suitable length and breadth as per guidelines of the Government of India Manual. It shall be ensured that all wells, overhead tanks and septic tanks are hermitically sealed with proper protected vents to avoid mosquito menace.

Regarding Water Supply it may be possible to provide piped water supply to the premises for drinking and cooking purpose only when water main is laid in that road. Till such time the party has to make his/her own arrangements.

4. Two copy/Set of approved plans, numbered as Planning Permit No. C/24555/55/97 dated: 17-4-97 is sent herewith. The Planning Permit is valid for the period from 17-4-97 to 16-4-2000

5. This approval is not final. The applicant has to approach the ~~Madras Corporation/Municipality/Panchayat Union/Township/Town Panchayat~~ for issue of building permit under the respective Localbody Acts. only after which the proposed construction can be commenced. ~~A unit of the Madras Corporation is functioning at MMDA first floor itself for issue of Building Permit.~~

Yours faithfully,

17/4
MEMBER-SECRETARY.

Encl: 1. Two copy/set of approved plan.
2. Two copy of Planning Permit. *17*

Copy to: 1.

1. *The Secretary,
Veebananda Educational Trust,
D-19, SREYAS,
45, Vijayaraghava road, T. Nagar, Chennai-17.*
2. The Deputy Planner,
Enforcement Cell,
MMDA., Madras-8.
3. The Chairman,
Appropriate Authority,
No. 31, G.N. Shetty Road,
T. Nagar, Madras-17.
4. The Commissioner of Income Tax,
No. 121, Nungambakkam High Road,
Madras-600 034.