

Elevation



Section - XX

OFFICE COPY

Planning Permit No. P/SPL Bldg/68/2002

APPROVED

SUBJECT TO THE CONDITIONS IN THIS OFFICE LETTER

No. 31344/2001 Date 3/02

FOR MEMBER SECRETARY
CHENNAI METROPOLITAN DEVELOPMENT AUTHORITY
CHENNAI-600 008.



SECTION

PLAN OF SUMP

PLAN OF COMPOUND WALL



DETAIL OF PERCULATION BED



TYPICAL DETAIL OF COLOUMN FOUNDATION



KEY PLAN



Ground Floor Plan



First Floor Plan



Second Floor Plan



Terrace Floor Plan

Schedule of joinery

No	Width	Height	Description
D	3'0"	7'0"	T.w. panelled door
D1	2'6"	7'0"	T.w. panelled door
D2	3'0"	7'0"	T.w. panelled door
D3	2'6"	7'0"	T.w. panelled door
W	5'0"	4'6"	T.w. glazed window
W1	3'0"	4'6"	T.w. glazed window
C.V.	2'0"	3'0"	T.w. glazed ventilator

Revised Plan
Door No. D1 to D3 changed to D

CMDA (P) No. Do1
B.A. No. 2033/01/B1

A.P. 1917 D.P.

SPECIFICATION

1. P.C.C in C.C 1:4:8
2. R.C.C in 1:2:4
3. 230 mm brick work in cm 1:5
4. 115 mm Brick work in cm 1:5
5. Plastering the ceiling in cm 1:3
6. Plastering the walls in cm 1:4
7. Weathering course in brick jelly lime concrete with a course of flat tiles.
8. The O H T is scientifically closed.
9. The U G sump is scientifically closed.
10. All w o's in ground floor rised by 0.91m from ground level.

Area statement

Proposed construction:	Sq.ft	Sq.m
Plot area	8295.24	771.14
Ground Floor Area	2749.03	255.51
First Floor Area	2819.74	262.09
Second Floor Area	2156.42	200.34
Total Builtup Area	7855.26	729.77
Non F S I Area	60.16	5.59
F S I Applied for	1.483	
Plot coverage	55%	

Legend

Proposed construction	
Boundary line	
Roads	
Sewer line	
Water line	

OWNER

Kousalya Rajagopal

JOB TITLE

Proposed Apartment at D.No: 29 & 31 (Old No: 10 & 11) Perumal Koil West Mada Street Saidapet, Chennai - 600 015. Bearing T.S.No: 29, Block No: 13 Sub-Registrat Dist of South Chennai.

Scale : 1"=8'0" | Date 6-8-2001

Licensed Surveyor

V. SRINIVASAN, AIIA
Registered Architect : CA/96/1755
Licensed Surveyor : Corporation of Chennai
R.A. No. 344
6, South Road, West C.I.T. Nagar
Chennai - 600 035. Phone : 433 82 62