

From  
The Member Secretary,  
Chennai Metropolitan  
Development Authority,  
No.1, Gandhi Irwin Road,  
CHENNAI -600 008

To  
The Commissioner,  
Ambattur Municipality,  
Ambattur,  
CHENNAI -

Letter No.B3/6860/2001

Dated: 10-8-2001

Sir,

Sub: CMDA - Planning permission for the proposed construction of Residential building Stilt part, Ground floor part and Ist, IInd, IIIrd & IVth Floor part with 8 Dwellings at P.No.W.738, Anna Nagar West Extension, Chennai - S.No.184/2A2 of Padi village

- Ref: 1. PPA received in SBC.No.86/2001, dated 25-1-2001  
2. This office even Lr.No. dt.27-7-2001  
3. Applicant Lr.No.Nil, dt.1-8-2001

The planning permission application/Revised plan received in the reference First cited for the construction of Residential building Stilt part, Ground floor part and Ist, IInd, IIIrd and IVth floor part with 8 Dwellings at Plot No.W.738, Anna Nagar West Extension, S.No.184/2A2 of Padi village has been approved subject to the conditions incorporated in the reference second cited.

2. The applicant has accepted to the conditions stipulated by CMDA vide in the reference third cited and has remitted the necessary charges in Challan No.B.671, dated 1-8-2001 including Security Deposit for building Rs.43,000/- (Rupees Forty three thousand only) and Security Deposit for Display Board of Rs.10,000/- (Rupees ten thousand only) in cash.

3.a) The applicant has furnished a Demand draft in favour of Managing Director, Chennai Metropolitan Water supply and Sewerage Board, for a sum of Rs.52,000/- (Rupees Fifty two thousand only) towards water supply and Sewerage Infrastructure Improvement charges in his letter dated 1-8-2001.

b) With reference to the sewerage system the promoter has to submit the necessary sanitary application directly to Metro water and only after due sanction he can commence the internal sewer works.

c) In respect of water supply, it may be possible for Metro water to extend water supply to a single sump for the above premises for the purpose of drinking and cooking only and confined to 5 persons per dwelling at the rate of 10 lpcd. In respect of requirements of water for other uses, the promoter has to ensure that he can make alternate arrangements. In this case also, the promoter should apply for the water connection, after approval of the sanitary proposal and internal works should be taken up only after the approval of the water application. It shall be ensure that all walls, overhead tanks and septic tanks are hermitically sealed of with properly protected vents to avoid mosquito menace.

4. Two copies of approved plans numbered as planning permit No.B./spl.bldg./291/2001, dated 10-8-2001 are sent herewith. The planning permit is valid for the period from 10-8-2001 to 9-8-2004.

5. This approval is not final. The applicant has to approach the Chennai Corporation for issue of building permit under the Local Body Act, only after which the proposed construction can be commenced.

Yours faithfully,

*A. Sankar*  
for MEMBER SECRETARY (14/8/01)

- Encl: 1. Two copies of approved plans *one 14/8/01*
- 2. Two copies of planning permit

Copy to: **Thiru V. Madhava Naidu,**  
Plot No.583, School Road,  
Anna Nagar West Extension  
Chennai

- 2. The Deputy Planner,  
Enforcement Cell,  
CMDA, Chennai -8  
(with one copy of approved plan)
- 3. The Member,  
Appropriate Authority,  
108, Mahatma Gandhi Road,  
Nungambakkam, Chennai -34
- 4. The Commissioner of Income-Tax,  
No.168, Mahatma Gandhi Road,  
Nungambakkam, Chennai -34

cms/13-8