




SITE CUM STILT FLOOR PLAN




ELEVATION




SECTION - X X




SECTION - Y Y




FIRST, SECOND & THIRD FLOOR PLAN




TERRACE FLOOR PLAN




KEY PLAN




TYPICAL DETAIL OF COLUMN FOUNDATION



PLAN OF COMPOUND WALL



ELEVATION



SECTION



PLAN OF U.G. SUMP


Revised Plan
SCHEDULE OF JOUENRY 20/8/03

No	Width	Height	Description
D	3'-3"	7'-0"	T.W panel door
D1	3'-0"	7'-0"	T.W panel door
F	4'-0"	4'-6"	T.W window
W	5'-0"	4'-6"	T.W window
W1	4'-0"	4'-6"	-do-
W2	5'-0"	3'-0"	-do-
W3	5'-0"	3'-0"	-do-
W4	3'-0"	3'-0"	-do-
V	3'-0"	3'-0"	T.W glaze

- Specification
- P.C.C IN C.C 1:4:8
 - R.C.C IN 1:2:4
 - 230 mm Brick work in cm 1:5
 - 115 mm Brick work in cm 1:5
 - Plastering the ceiling in cm 1:3
 - Plastering the walls in cm 1:4
 - Weathering course in brick jelly lime concrete with a course of flat tiles
 - The D.H.T is scientifically closed
 - The U.G sump is scientifically closed
 - All a/c's in ground floor raised by 0.91m from ground level.

AREA STATEMENT

Proposed construction	Sq.ft	Sq.m
PLOT AREA	12179.00	1131.46
(AS PER PATA)		
STILT FLOOR AREA	217.25	20.18
FIRST FLOOR AREA	5999.22	557.34
SECOND FLOOR AREA	5999.22	557.34
THIRD FLOOR AREA	5999.22	557.34
TOTAL BUILTUP AREA	18214.91	1692.20
NON F.S.I AREA	177.01	16.44
F.S.I Applied for	1436	
Plot coverage	49.26%	



Legend

Proposed construction: [Symbol]

Boundary line: [Symbol]

Roads: [Symbol]

Sewer line: [Symbol]

Water line: [Symbol]

OWNER:

S. Balakrishnan
S. Anandaraman

JOB TITLE

PROPOSED APARTMENTS AT D.No:6
LADY DESIKACHARI ROAD, MYLAPORE
CHENNAI-600 004, BEARING R.S.No:1649/17,
& 1649/44, BLOCK No:34,
MYLAPORE-TRIPPLICANE TALUK
CHENNAI DISTRICT
CHENNAI CORPORATION.

Scale: 1" = 8'-0" Date: 29-03-03

Licensed Surveyor:

V. BRINIVASAN, A.I.A.
Registered Architect - CA 158113755
Licensed Surveyor - Composition of Chennai
N.A. No. 344
Q.No: 37, 17th St, Anna Nagar,
Chennai - 600 040. Ph: 2-628 6523