



SCHEDULE OF

RS	ROLLING SHUTTER	2'6" X 8'0"	D.P.
RS1	ROLLING SHUTTER	3'0" X 7'0"	
D1	DOOR	4'0" X 7'0"	
D2	DOOR	2'6" X 7'0"	
W1	WINDOW	4'0" X 4'6"	
W2	WINDOW	8'0" X 4'6"	
V	VENTILATOR	2'0" X 2'0"	
V1	VENTILATOR	4'0" X 2'0"	
V2	VENTILATOR	6'0" X 2'0"	

SPECIFICATION
 FOUNDATION : BASED ON COLUMN TO A DEPTH OF 6'0" BELOW GROUND LEVEL OVER A BED OF SAND FILLING 6" THICK.
 MASONRY : STOCK BRICK WORK FOR SUPER-STRUCTURE & BASEMENT IN CM 1:6.
 FLOORING : IN CM 1:4 OVER 4" THICK BRICK JELLY LIME CONC. 1:2:4 MK.
 PLASTERING : IN CM 1:4, 1/2" THICK.
 ALL R.C.C. WORKS ARE TO BE IN CM 1:2:4.

COLOUR INDEX

PLOT BOUNDARY	—
PROPOSED BUILDING	—
ROADS/STREETS	—

AREA STATEMENT

PLOT AREA EXTENT	3207.67 SQ.FT.	298.00 M ²
AREA ATTRACTED BY FSI		
BASEMENT FLOOR	1758.65 SQ.FT.	175.86 M ²
GROUND FLOOR	1258.69 SQ.FT.	116.94 M ²
FIRST FLOOR (OFFICE)	55.71 SQ.FT.	5.17 M ²
" (RESIDENTIAL)	798.31 "	73.98 M ²
TOTAL	4010.87 SQ.FT.	372.95 M ²
COVERAGE	125%	
FSI	1.25	

PROPOSED COMMERTIAL CUM RESIDENTIAL BUILDING IN DOOR NO. 4, NEW AVADI ROAD, SR.NO 237/149, VILLIVAKKAM VILLAGE, PURASAWALKAM - PERAMBUR TALUK, PURASAWALKAM - PERAMBUR TALUK, CHENNAI. DIVISION NO.43, BLOCK NO. 21.

SCALE : 1" = 8'0" (OR) 1:100

SIGNATURE OF OWNER

S. ATHIYAMAN, B.E.
 CHARtered ENGINEER,
 Class I Licencc Surveyor, No. 150
 Corporation of Chennai
 E. N. High Way, 5th A.T. P. O.,
 Chennai-600 017. Ph: 28116626,
 Mobile: 91068440.

SIGNATURE OF LICENSED SURVEYOR