

PLAN SHOWING THE PROPOSED RESIDENTIAL BUILDING FOR Mrs. KANTHA AT No.135, PLOT No.10 (OLD SURVEY No.287/1A) NEW SURVEY No.287/1A1A1A/1C PATTI 1105 BHARATHIYAR CROSS STREET, ATOKKIYAM THORAPPAKKAM VILLAGE, SRI SARAVANABHAVI NAGAR, TAMBARAM TALUK, KANCHEEPURAM DISTRICT.

AREA STATEMENT No. *A2/1389/0308* SQ.M

TOTAL SITE EXTENT	266.00 SQ.M
GROUND FLOOR AREA	100.09 SQ.M
FIRST FLOOR AREA	102.05 SQ.M
TOTAL BUILTUP AREA	202.14 SQ.M

F.S.I. = 0.75  
PLOT COVERAGE = 38.36

COLOUR INDEX:-

PROPOSED	ROAD
SEWER LINE	BOUNDARY

SCHEDULE OF JOINERY:-

TYPE	DETAIL	SIZE
D	DOOR	3'-6"X7'-0"
D1	DOOR	3'-0"X7'-0"
D2	DOOR	2'-6"X7'-0"
W	WINDOW	3'-0"X4'-0"
V	VENTILATOR	2'-0"X2'-0"

SPECIFICATION:-

- FOUNDATION : COLUMN FOOTING
- BRICK WORK : C.M 1:6 FOR SUPER STRUCTURE
- PLASTERING : C.M 1:5 FOR WALLS & 1:3 FOR CEILING
- CEMENT PAINT : 2 COATS FOR WALLS & 1 EXTRA COAT FOR CEILING
- R.C.C. : 1:2:4 FOR SLABS & LINTELS
- WOOD WORK : ALL WOOD WORKS IN BEST QUALITY TIMBER
- WEATHERING : B.JELLY LIME MORTAR OVER ROOF SLAB ONE LAYER OF COUNTRY TILES

NORTH	SCALE : 1"=8'-0" (1:100)	DRAWN
		V. KOTEEES.

OWNERS SIGNATURE  
*R. Anjan*

SIGNATURE OF LICENSED SURVEYOR  
*ER. K. SELVAM*  
BE (Civil), AMIE, C Eng (I), AITP, CHARTERED ENGINEER & APPROVED VALUER, CLASS-I LICENSED SURVEYOR, Reg No: 6001/2005, 1st BLOCK, SAPPALPETA, AT-600 037, (NEAR MGR ARSHI SCHOOL) PHONE: 23563050 CELL No: 9841282050

