



KEY PLAN
NOT TO SCALE
65'-0" (19.82) AS PER PATTI & SITE MESUREMENT




SITE CUM STILT FLOOR PLAN




FRONT ELEVATION


SECTION ON - 'AA'



DWARF WALL SECTION




SECTION - 'X-X'




PLAN OF U.G. SUMP


CMDA (B) No. 190/2004
C. No. 190/2004
Asst. Secretary
P. A.
A.P.



**TYPICAL FLOOR PLAN
(1,2,3rd FLOOR PLAN)**



(4th FLOOR PLAN)



TERRACE FLOOR PLAN

APPROVED
SUBJECT TO THE CONDITIONS IN THIS OFFICE LETTER
P.C.I. 1999/104
20/9/2004

FOUR INDEX

PROPOSED *plan*

BOUNDARY *plan*

NOTE:
THESE DRAWINGS DO NOT REPRESENT THE EXISTING SPECIFICATIONS

(1) FOUNDATION - 0.15M SAND FILLING
0.15M P.C.C. 1:4:8 MIX. BRICK WORK LIGING

(2) BEAM - 150MM x 200MM R.C.C. 1:2:4 MIX. AND GARAGE ROOF SHALL BE OF A.C. SHEET.

(3) SUPER STRUCTURE - BRICK WORK IN CEMENT MORTAR. FLOORING SHALL BE IN CEMENT. WEATHERING COURSE - BRICK JELLY IN LIME MORTAR WITH PRESSED TILES ON TOP.

(4) LATEL & ROOF SLAB - 150MM R.C.C. 1:2:4 MIX. AND GARAGE ROOF SHALL BE OF A.C. SHEET.

(5) WEATHERING COURSE - BRICK JELLY IN LIME MORTAR WITH PRESSED TILES ON TOP.

(6) JOINERY - MAIN DOOR - FRAME SHALL BE OF TEAK WOOD & SHUTTERS OF FLUSH SHUTTER WITH ONE SIDE TEAK FINISH. OTHER DOORS AND WINDOWS SHALL BE OF COUNTRY WOOD FRAME AND SHUTTERS OF FLUSH SHUTTER.

SCHEDULE OF JOINERY

Type	Description	Size
M/D	MAIN DOOR	4'-0" X 7'-0"
D	DOOR	4'-0" X 7'-0"
D1	DOOR	3'-0" X 7'-0"
D2	DOOR	2'-0" X 7'-0"
W	WINDOW	6'-0" X 4'-6"
W1	WINDOW	4'-6" X 4'-6"
W2	WINDOW	4'-0" X 4'-6"
W3	WINDOW	3'-0" X 4'-6"
V	VENTILATOR	2'-0" X 3'-0"

AREA STATEMENT

DESCRIPTION	AREA IN SQ.FT.	AREA IN SQ.M.
PLOT AREA	7735.00	498.327
STILT FLOOR	319.00	29.54
FIRST FLOOR	2781.400	258.49
SECOND FLOOR	2781.400	258.49
THIRD FLOOR	2781.400	258.49
FOURTH FLOOR	2716.40	252.45
TOTAL F.S.I AREA	11380.00	1057.56
HEAD ROOM	251.60	23.382
LIFT MACHINE ROOM	142.50	13.243
F.S.I (1.5)	1.47	
PLOT COVERAGE	35.95%	

PROPOSED OFFICE BUILDING
AT NEW DOOR NO : 4, OLD DOOR NO : 181,
KODAMBAKKAM HIGH ROAD CHENNAI-24.
IN R.S.NO:156/14, BLOCK NO: 22,
NUNGAMBAKKAM VILLAGE CHENNAI-600 024.
ZONE NO:07, DIVISION NO:-108,
CHENNAI CORPORATION.

OWNER'S SIGNATURE

Rajiv...

LICENCED SURVEYOR
S. ATHIRAMAN, R.E.
Class - I, Licenced Surveyor, No. 192
Corporation of Chennai
5, Nathamun Street, T. Nagar,
Chennai - 17. Phone : 2815 6524
Mobile 91032420

Architects:
checked: SRG scale: 1" = 8'-0"

KSM Consultants Private Limited
Consultants, Engineers and Chartered Architects
115, Nelson Manickam Road,
Chennai - 29. Telephone and Fax: 374 0238, 374 3587.