

PLAN SHOWING THE PROPOSED RESIDENTIAL BUILDING AT DO.NO:6/11,CORPORATION HIGH SCHOOL ROAD, NUNGAMBAKKAM, R.S.NO:731/2, BLOCK NO:34, NUNGAMBAKKAM VILLAGE, CHENNAI-34.

SPECIFICATIONS:
 WALLS STUCK BRICKS CM 1:4
 PLASTERING THE WALLS BY CM 1:4
 R.C.C. WORK M25 GRADE (M12)
 ROOF SLAB LITTEL W.C., R.C.C. 1:2 SHONSHADE 60 CM WITH SPECIAL CEILING PLASTERING OF 1:5, 10MM THICK WEATHERING COURSE WITH BRICK JELLY CONCRETE. TERRACE FLOORING WITH TWO COURSE OF FLAT TILES, SAND FILLING 15 CM THICK FOR FOUNDATION AND BASEMENT IN THIS PROJECT WE ARE FOLLOWING THE SPECIFICATIONS AS PER IS STANDARDS TO PROVIDE 100% CAPACITY OF SOLAR WATER HEATING SYSTEM.

AREA DETAILS:

	(S.F)	(SQ.M)
GROUND FLOOR	1500.88	137.41
FIRST FLOOR	1650.31	154.24
SECOND FLOOR	1650.31	154.24
THIRD FLOOR	1660.31	154.24
TOTAL AREA	6461.81	602.13
SITE AREA	4352.00	(404.46)
F.S.I	1.485	
PLOT COVERAGE	38.15%	

SCHEDULE OF JOINERY

MD - MAIN DOOR	- 3'3"X7'0"	(1.0X2.13)
D - DOOR	- 3'0"X7'0"	(0.91X2.13)
D1 - DOOR	- 2'6"X7'0"	(0.76X2.13)
W - WINDOW	- 6'0"X4'6"	(1.83X1.37)
W1 - WINDOW	- 4'0"X4'6"	(1.22X1.37)
KW - KITCHEN WINDOW	- 4'0"X3'6"	(1.22X1.07)
KW1 - KITCHEN WINDOW	- 3'6"X3'6"	(1.07X1.07)
V - VENTILATOR	- 2'0"X2'0"	(0.61X0.61)

COLOUR INDEX:

PROPOSED BUILDING	
EXISTING ROAD	
SITE BOUNDARY LINE	

SCALE : 1"=8'0" DATE : 10-07-2004

DRAWN BY : *K.R.Krishnan* CHKD. BY :

OWNER: *K. Subramanian*

LICENSED SURVEYOR:

G. Radhakrishnan
 G. RADHAKRISHNAN, B.E.,
 Civil & Structural Design Engineer,
 Class-I Licensed Surveyor No: 773
 Corporation of Chennai.
 Expert in Vasthu Sastra & Prediction
 Civil Engineering Consultants & Contractors
 B/No:76, Alendur Road, Seidayer, Chennai-600015
 Cell Phone: 9444140331

