OFFICE COPY

PREMIUM FSI

Planning Permission No.
B/ NMRS/ 451/ 2019
APPROVED
Subject to conditions mentioned in this office
Letter No. PP/NMRS/C/1033/2019 Dated 12.12.2019
For Chief Planner
Non High Rise Buildings
Chennai Metropolitan Development Authority
Chennai-600 008.
This approval is valid only after Building Permit is issued by the concerned Local Body

This Planning Permission issued under New Rule TNCDBR, 2019 is subject to final outcome of the W.P.(MD) No.8948 of 2019 and WMP (MD) Nos. 6912 & 6913 of 2019.

This Planning Permission as per the delegated powers given by Member Secretary, CMDA in Office Order No. 7/2019 dated 12.03.2019.

6.12.2019

PP-10337/2019

Demand notice is issued vide GO.Rt.No. 12.12.2019

40 Nos

No.of Flats
No .of users
Assume a standard no. of users
Total no.of fixture units assume a packing factor of 6 lpm/fixture unit

40 Nos. 160 Units = 240 liter per minutes
Qtr. Qu. Qt. (D) 61.60LPS
15. 61.60LPS

SEPTIC TANK

Surface area required for the septic tank ..... 22.08 ..... sq.m. Say 23sq.m

Volume of free board : 23.00 x 0.30m = 6.90 cu.mt
Volume of sedimentation : 23.00 x 0.30m = 6.90 cu.mt
Volume of digestion : 80 x 0.033 = 2.64 cu.mt
Volume of sludge : 80x300x0.0002 = 4.80 cu.mt
Total volume : 22.28 cu.mt

Depth of Septic tank : volume / Surface area = 22.28 / 23.00 = 0.97 say 1.00m

Total Liquid Depth : 0.30m + 2.50m + 0.30m = 3.10m
Required size of septic tank : 2.50 m x 2.50 m
UPFLOW FILTERS
Capacity for 80 users : 1.60 cu.mt
Depth (assumed) : 2.50m
Hence area of final effluent sump : 1.00 / 2.50 = 1.44 sq.m
Size of final effluent sump : 2.50 x 0.60 x 2.50m
Size of up flow filter (1) : 2.50 x 0.60 x 2.50m
Size of up flow filter (2) : 2.50 x 0.60 x 2.50m

OFFICE COPY

PREMIUM FSI

PLAN SHOWING THE PROPOSED CONSTRUCTION OF RESIDENTIAL BUILDING AT PLOT NO: I TO III, APPROVED LAYOUT ROAD, SRINIVASAPURAM VILLAGE, CHENNAI., COMPRISED IN OLD S.NO:113/2 Part, 149/1B Part & 149/2B Part,NEW S.NO: 113/2B, 149/1B2 & 149/2B2 OF SRINIVASAPURAM VILLAGE SRIPERUMBUDUR TALUK, KANCHEEPURAM DISTRICT, KUNDRATHUR PANCHAYAT UNION

JOINERY DETAILS

MD	DOOR	1.00 x 2.10
D	DOOR	1.00 x 2.10
D1	DOOR	0.90 x 2.10
D2	DOOR	0.76 x 2.10
O	OPENING	0.90 x 2.10
W4	WINDOW	1.20 x 1.35
W3	WINDOW	1.00 x 1.35
FD	FRENCH DOOR	1.80 x 2.10
V	VENTILATOR	0.60 x 0.60

SPECIFICATION :

BRICK WORK	: SUPER STRUCTURE WITH MAIN WALL USING CM 1:5 MORTAR PARAPET WALL CM 1:4 MORTAR.
WOOD WORK	: MAIN DOOR TEAK, AND OTHER DOORS KONGU WOOD
RCC WORK	: MINIMUM GRADE OF CONCRETE M25 (1:1:2)
FLOORING	: ALL ROOM CERAMICS TILES FLOORING.
PLASTERING WORK	: PLASTERING WORK IN C.M. 1:4.
WEATHERING COURSE	: WEATHERING COURSE IN BRICK JELLY CONCRETE IN C.M. WITH TWO COURSES OF FLAT TILES LAID TO DETAIL

COLOR INDEX

PROPOSED ROAD BOUNDARY

SCALE 1: 100

AREA DETAILS

S.NO.	PLOT AREA DETAILS IN SQ.M	
1	AS PER PATTA	823.00 sq.m
2	AS PER DOC.	826.09 sq.m

S.NO.	FLOOR	F.S.I AREA
1	STILT FLOOR	29.19
2	FIRST FLOOR	551.97
3	SECOND FLOOR	551.97
4	THIRD FLOOR	551.97
5	TOTAL	1685.10
6	F.S.I	2.05

OWNER

THIRUMALA PLANNERS
A. ARUNACHALAM, D.C.E
REGISTERED ENGINEER CR. III
LICENCE NO. TN/ 10186/ 2018
CMDA No. [illegible] Flat No. [illegible] No.374, Palani Andavar Koil Street, Vallalar Nagar, Kaliamman Koil Street, Vallalar Nagar, Kaliamman Koil Street, Vallalar Nagar, Kaliamman