

- = 1793 SQ.M
- = 505 SQ.M
- 8 Nos. =

ROAD AREA - WAS HANDED OVER TO THE LOCAL BODY VIDE GIFT DEED DOC. NO: 3484 / 2024, DATED: 30.04.2023 @ SRO, PAMMAL

(I) THE APPLICANT SHOULD FOLLOW THE CONDITIONS MENTIONED BY THE EE, WRD., KOSASTHALAIYAR BASIN DIVISION, THIRUVALLUR - 602001. LETTER NO.DB/JDO.2/F.40 NOC/2023/1061M/DATED:22.12.202 LAYOUT APPROVAL BY THE COMPETENT AUTHORITY (LOCAL BODY)

1. The proposed site of the land is to be raised of height from 1.300m to 1.410m with the process of earth filling and compaction should be done in layers of not more than 0.30m depth with hard soil with proper compaction to ach

2. The applicant should provide adequate dewatering arrangements to bail out the water within the premises and necessary drainage facilities must be provided as per the norms of the Pollution Control Board. 3. The applicant should be done proper soil test and suitable foundation should be selected depends upon the soil condition and the structural design should be obtained by the Structural Engineer.

4. The WRD, is not responsible for the Structural stability and soundness of the building proposed by the applicant and WRD recommend only for inundation point of view.

5. The Applicant should make arrangement to collect the garbage within the premises and has to be disposed off as per Pollution Control Board norms.

6. Necessary sewage treatment arrangements should be provided as per Pollution Control Board norms.

7. The applicant should lay the demarcation and fix the boundary stone in the S.No. 578/1A, 1B, 1C, 2A, 2B, 2C & 578/2D of Gerugambakkam Village, Kundrathur Taluk, Kancheepuram District before the commencement of the 8. In order to protect the applicant land must construct the retaining wall along its boundary on the left side of channel after demarcated the WRD., Land.

9. The applicant should provide rain water harvesting arrangements in the site at applicant own cost.

10. The proposed site is very close to Eri/Channel/thangal. The applicant should not affect the hydraulic particulars of Eri/Channel/thangal.

11. The applicant should not let the drainage water / sewage directly into the Eri/channel/thangal.

12. The Peripheral storm water drainage shall be provided with adequate vent size around the site demarcated in the map and it should be connected to the local body storm water drainage way (or) Road drainage network. network/channel/Odai/river so as to drain storm water from site under reference.

13. The levels as indicated in the tabular column should be maintained strictly.

14. The Sewage and Sullage water should not be let in the channel/tank Maintained by WRD and necessary sewage disposal plant should be made by the applicant at applicant own cost. The safe discharge of sewage should the sewage should be made by the applicant at applicant at applicant own cost. Kosasthalaiyar Basin Division, WRD., Thiruvallur and/or any other competent authority at once after implementation.

15. The applicant should not encroach into adjacent Government lands and should clearly demarcate boundaries of applicant land in presence of Revenue and as well as WRD officials before commencement of construction.

16. No sewage should be let into the adjacent lands and drain and necessary arrangements should be made by the applicant at applicant own cost for treatment of sewage.

17. The WRD officials should be allowed to inspect the site at any time during execution.

18. The applicant should carryout protective measures to avoid entry of storm water from the earmarked in the sketch should be maintained without encroaching as per Revenue Records.

19. The applicant should clearly demarcate the boundary of applicant land and WRD., channel before commencement of any developmental activity in presence of the Revenue and WRD department officials and should not encroa 20. Advance intimation should be given to the WRD officers concerned before the commencement work.

21. The applicant shall abide by the rules and regulations of the WRD as in force.

22. The permission granted is liable to be revoked. If breach of any of the above terms and conditions and in the event of such revokes the applicant shall not be eligible to any compensation what so ever.

23. Failing to comply with any of the above condition, WRD. Reserves rights to withdraw the report on inundation point of view to the above survey number and in the event, the applicant shall not be eligible for any compensation (II) LOCAL BODY SHOULD ENSURE COMPLIANCE OF ALL THE CONDITIONS STIPULATE BY WRD, PWD IN THEIR LETTER NO.DB/JDO.2/F.40 NOC/2023/1061M/DATED:22.12.2023, AND SHALL OBTAIN A LETTER FR

THE COST OF LAYING IMPROVEMENTS TO THE SYSTEMS IN RESPECT OF ROAD, WATER SUPPLY, SEWERAGE, DRAINAGE OR ELECTRIC POWER SUPPLY THAT MAY BE REQUIRED AS ASSESSED BY THE ELECTRICITY BOARD, SHALL BE BORNE BY THE APPLICANT.

(IV) THE APPLICANT IS RESPONSIBLE FOR THE SHAPE, SIZE & DIMENSIONS OF THE SITE UNDER REFERENCE.

◎ NECESSARY SPACE FOR BUILDING LINE TO BE LEFT AS PER THE RULE IN FORCE WHILE TAKING UP DEVELOPMENT IN EVERY PLOT.

This Planning Permission Issued under New TNCDBR.2019 is subject to final outcome of W.P(MD) No.8948 of 2019 and WMP (MD Nos. 6912 & 6913 of 2019.

	FILE NO: LAYOUT-1 / 0005 / 2024
	E COMPLIED BY THE APPLICANT BEFORE ISSUING OF THE
ieve required	l degree of compaction and the existing land should be raised to a
ork.	
ltimately the s	storm water drainage should be connected to the Road drainage
e ensured an	nd the action plan should be submitted to the Executive Engineer,
ch the chann	el abutting the applicant land.
hat so ever.	
	NFIRMING THE COMPLIANCE OF THE CONDITIONS BEFORE
ONCERNED	AUTHORITY, NAMELY, THE LOCAL BODY AND TAMIL NADU
	CONDITIONS:
	THE SUB-DIVISION APPROVED IS VALID SUBJECT TO OBTAINING SANCTION FROM
	THE LOCAL BODY CONCERNED.
	$\frac{P.P.D}{L.O}$ NO : $\frac{104}{2024}$
	APPROVED
	VIDE LETTER NO : LAYOUT-1 / 0005 / 2024 DATE : 14 / 05 / 2024
Rule ne	
	OFFICE COPY
	FOR CHIEF PLANNER (LAYOUT) CHENNAI METROPOLITAN DEVELOPMENT AUTHORITY